

DATASHEET

CIJECT

30L VACUUM CATCH-POT

**KEY FEATURES**

- 30 litre fabricated steel vacuum catch-pot for use in Direct Infusion processes, or as an inline resin trap between a VRTM mould and a CIVAC vacuum system.
- Robust and rated for vacuum use.
- Fits standard 10 litre plastic buckets.
- Silicone vacuum edge seal.
- 12 mm aluminium lid with integral clear acrylic lid/window.
- Ball valve controlled vent.
- Based mounted on wheels.
- Available with a selection of standard through-lid connections.
- Other configurations available on request.

PRODUCT VERSIONS

Standard Options	Description	Product Number
Standard Version	Suitable for use with vacuum. Note: this product is not pressure rated.	XV-0500

CONNECTION OPTIONS

To specify a configuration, use the part number (in product versions section above), followed by the required options numbers, separated by a hyphen: e.g. XV-0500-04-10 specifies a 30 litre catch-pot with 4 x 10 mm resin inlet connectors and 1 x GEKA vacuum connector.

RESIN INLET CONNECTORS

Through-lid resin hose connectors for incoming vent hoses from a mould. For support with these options, contact Composite Integration and specify the hose diameter or part number if possible.

Available Options	Product Number
4 x 6 mm	OPT-01
8 x 6 mm	OPT-02
12 x 6 mm	OPT-03
4 x 10 mm	OPT-04
8 x 10 mm	OPT-05
12 x 10 mm	OPT-06
4 x 12 mm	OPT-07
8 x 12 mm	OPT-08
12 x 12 mm	OPT-09

VACUUM CONNECTORS

Connection for incoming vacuum line (from the vacuum pump). Specify two connectors if the vacuum catch-pot is to be used as a simple inline emergency trap between a vacuum pump and a mould.

Available Options	Product Number
1 x GEKA	OPT-10
2 x GEKA	OPT-11
1 x ISO B	OPT-12
2 x ISO B	OPT-13